REFERENCES

1. Benfeld E, Hansen SH, Volund A, Menne T, Shah VP (2007). Bioequivalence of Topical Formulations in Humans: Evaluation By Dermal Microdialysis Sampling and the Dermatopharmacokinetic Method. Journal of Investigative Dermatology, 127: 170-178.
2. Shah VP, Glynn GL, Yacobi Y (1998). Bioequivalence of Topical Dermatological Dosage Forms–Method of Evaluation of Bioequivalence. Pharmaceutical Research, 15(2): 167-171.
3. Sarigullu I, Karasulu HY, Kantarci G, Sözer S, Güneri T, Ertan G (2006). Transdermal delivery of Clindamycin through rat skin from various formulations. APPS PharmSciTech, 7(4) 88: E1-E7.
4. Shah VP (2001). Progress in Methodologies for Evaluating Bioequivalence of Topical Formulations. American Journal of Clinical Dermatology, 2(5): 280.
5. Lademann J, Jacobi U, Surber C, Weigmann HJ, Fluhr JW (2009). The Tape stripping procedure-evaluation of some critical parameters. Eur J Pharm Biopharm, 72(2): 317-23.
6. Franz TJ (1999). Assessing The Validity Of Stratum Corneum Tape Stripping To Determine The Bioavailability / Bioequivalence Of Topical Drug Products. A letter to Roger Williams, FDA-CDER1999.
7. Herkenne C, Naik A, Kalia YN, Hadgraft J, Guy RH (2007). Ibuprofen Transport into and through skin from topical formulations: In vitro- In vivo Comparison. Journal of Investigative Dermatology, 127: 135–142
8. Center for Drug Evaluation and Research, Guidance for Industry: Bioavailability and Bioequivalence Studies for Orally Administered Drug Products — General Considerations. United States Food and Drug Administration 2003.
9. Behl C, Char HS, Patel SB, Mehta DB, Piemontese D, Malick AW (1993). In vivo and in vitro skin uptake and permeation studies critical considerations and factors, which affect them. Topical Drug Bioavailability, Bioequivalence and Penetration N*ew* York Plenum Press, 225–259.
10. Marjukka ST, Bouwstra JA, Urtti A (1999). Chemical enhancement of percutaneous absorption in relation to stratum corneum structural alterations. J Control Release, 59: 149-161.

11. Green PG, Flanagan M, Shroot B, Guy RH. Iontophoretic drug delivery. In: Walters KA, Hadgraft J, editors. Pharmaceutieal Skin Penetration Enhancement, New York: Marcel Dekker, 311– 333.
12. Gordon RD, Peterson TA (1993). Myths about transdermal drug delivery. Drug Deliv Technol 2003; 3:1-4.
13. Brannon H (2009). Stratum Corneum Anatomy - The Key to Healthy, Attractive Skin. Online Dermatology Guide 2009.
14. Caron D, Queille C, Shah VP, Schaefer H (1990). Correlation Between the Drug Penetration and the Blanching Effect of Topically Applied Hydrocortisone Creams in Human Beings. J Am Acad Dermatol, 23:458-462.
15. Bell MJ, Shackelford P, Smith R, *et al (*1984*).* Pharmacokinetics of clindamycin phosphate in the first year of life. *J Pediatr,* 105:482–6.
16. Koren G, Zarfin Y, Maresky D, *et al (*1986*).* Pharmacokinetics of intravenous clindamycin in newborn infants. *Pediatr Pharmacol,* 5: 187–92.
17. Faix RG, Polley TZ, Grasela TH (1988). A randomised, controlled trial of parenteral clindamycin in neonatal necrotising enterocolitis. *J Pediatr*, 112: 271–9.
18. Deajani AS, Taubert KA, Wilson W, *et al (*1997*).* Prevention of bacterial endocarditis: recommendations by the American Heart Association. *JAMA,* 277: 1794–801.
19. Ugwamadu A, Manyonda I, Reid F, *et al (*2003*).* Effect of early oral clindamycin on late miscarriage and preterm delivery in asymptomatic women with abnormal vaginal flora and bacterial vaginosis: a randomised controlled trial. *Lancet,* 361: 983–8.
20. Lamont RF, Duncan SLB, Mandal D, *et al (*2003*).* Intravaginal clindamycin to reduce preterm birth in women with abnormal genital tract flora. *Obstst Gynecol,* 101: 516–22.
21. Hall CM, Milligan DWA, Berrington J (2004). Probable adverse reaction to a pharmaceutical excipient. *Arch Dis Child.* 89: F184.
22. Larsson P-G, Fåhraeus L, Carlsson B, *et al (*2006*).* Late miscarriage and preterm birth after treatment with clindamycin: a randomised consent design study according to Zelen. *BJOG,* 113: 629 37.
23. Wolf J (1939). Die innere Struktur der Zellen des Stratum desquamans der menschlichen Epidermis. Z Mikrosk Anat Forsch,, 46: 170–202.

24. Choi MJ, Maibach HI (2003). Role of ceramides in skin stress: ultraviolet light, tape stripping and crowding. Exogenous Dermatology, 2: 286-294.
25. Dupuis D, Rougier A, Lotte C, Roguet R (1987). An original predictive method for *in vivo* percutaneous absorption studies. Acta Derm Venereol Suppl (Stockh), 134: 9-21.
26. Lademann J, Weigmann H, Lindemann U, Audring H, Antoniou C, Tsikrikas GN, Schaefer H, Sterry W (2002). Investigations of the influences of furows and wrinkles when qunatifying penetration of drugs and cosmetics by tape stripping. In: Brain KR, Walters KA (eds). Perspectives in Percutaneous Penetration, Vol. 8a. Cardiff: STS, 49.
27. Surber C, Schwarb FP, Fmith EW (1999). Tape stripping technique. In: Percutaneous Absorption – Drug – Cosmetics – Mechanisms – Methodology (Bronough H, Maibach HI, eds), 3rd ed. New York: Marcel Dekker, 395– 409.
28. Arima H, Miyajib T, Irie T, Hirayama F, Uekamaa K. (1998). Enhancing effect of hydroxypropyl-P-cyclodextrin on cutaneous penetration and activation of ethyl 4-biphenylyl acetate in hairless mouse skin. Eur J Pharm Sci, 6: 53-59.
29. Curdy C, Kalia YN, Naïk A, Guy RH (2001). Piroxicam delivery into human stratum corneum *in vivo*: Iontophoresis versus passive diffusion. J Control Rel, 76: 73-79.
30. Escobar-Chávez JJ, Quintanar-Guerrero D, and Ganem-Quintanar A (2005). *In vivo* skin permeation of sodium naproxen formulated in PF-127 gels: Effect of Azone® and Transcutol®, Drug Develop Ind Pharm, 31: 447-454.
31. Esposito E, Cortesi R, Drechsler M, Paccamiccio L, Mariani P, Contado C, Stellin E, Menegatti E, Bonina F, Puglia C (2005). Cubosome dispersions as delivery systems for percutaneous administration of indomethacin. Pharm Res, 22(12): 2163-2173.
32. Ganem-Quintanar A, Silva-Alvarez M, Alvarez-Roman R, Casas-Alancaster N, Cazares-Delgadillo J, Quintanar-Guerrero D (2006). Design and evaluation of a self – adhesive naproxen-loaded film prepared from a nanoparticle dispersión. J Nanosci Nanotechnol, 6(9-10): 3235-3241.
33. Herkenne C, Naik A, Kalia YN, Hadgraft J, Guy RH (2006). Pig ear skin ex vivo as a model for *in vivo* dermatopharmacokinetic studies in man. Pharm Res, 23(8): 1850-1856.
34. Hostýnek JJ, Dreher F, Maibach HI (2006). Human stratum corneum penetration by copper: *In vivo* study after occlusive and semiocclusive application of the metal as powder. Food Chem Toxicol, 44: 1539–1543.

35. Lodén M, Akerstrom U, Lindahl K, Berne B. (2004). Bioequivalence determination of topical ketoprofen using a dermatopharmacokinetic approach and excised skin penetration. Int J Pharm, 284: 23–30.
36. Wagner H, Kostka K-H, Lehr C-M, Schaefer UF ()2002. Correlation between stratum corneum/water-partition coefficient and amounts of flufenamic acid penetrated into the stratum corneum. J Pharm Sci, 91(8): 1915-1921.
37. Pellanda C, Ottiker E, Strub C, Figueiredo V, Rufli T, Imanidis G, Surber C (2006). Topical bioavailability of triamcinolone acetonide: Effect of dose and application frequency. Arch Dermatol Res, 298: 221–230.
38. Pirot F (2002). Sustained ex vivo skin antiseptic activity of chlorhexidine in poly(ecaprolactone) nanocapsule encapsulated form and as a digluconate. J Control Rel, 82: 319–334.
39. Fresno-Contreras MJ, Jiménez-Soriano MM, Ramírez-Diéguez A (2005). *In vitro* Percutaneous absorption of all-trans retinoic acid applied in free form or encapsulated in stratum corneum lipid liposomes. Int J Pharm, 297: 134– 145.
40. Padula C, Colombo G, Nicoli S, Catellani PL, Massimo G, Santi P (2002). Bioadhesive film for the transdermal delivery of lidocaine: *in vitro* and *in vivo* behaviour. J Control Rel. 88: 277–285.
41. Bashir SJ, Dreher F, Chew AL, Zhai H, Levina C, Stern R, Maibach HI (2005). Cutaneous bioassay of salicylic acid as a keratolytic. Int Jou. Pharm, 292: 187–194.
42. Abdulmajed K and Heard ChM (2004). Topical delivery of retinyl ascorbate co-drug 1. Synthesis, penetration into and permeation across human skin. Int Jou Pharm, 280: 113–124.
43. Morgan CJ, Renwick AG, Friedmann PS (2003). The role of stratum corneum and dermal microvascular perfusion in penetration and tissue levels of water-soluble drugs investigated by microdialysis. Br J Dermatol, 148: 434-443.
44. Jarvis CA, McGuigan C, Heard CM (2004). *In vitro* delivery of novel, highly potent anti-Varicella Zoster virus nucleoside analogues to their target site in the skin. Pharm Res, 21(6): 914-919.

45. Inoue J, Yotsumoto S, Sakamoto T, Tsuchiya S, Aramaki Y (2005). Changes in immune responses to antigen applied to tape-stripped skin with CpG oligodeoxynucleotide in mice. J Control Rel, 108: 294-305.
46. Alvarez-Román R, Naik A, Kalia YN, Guy RH, Fessi H (2004). Enhancement of topical delivery from biodegradable nanoparticles. Pharm Res, 21(10): 1818-1825.
47. Olvera-Martínez BI, Cazares-Delgadillo J, Calderilla-Fajardo SB, Villalobos- García R, Ganem-Quintanar A, Quintanar-Guerrero D (2005). Preparation of polymeric nanocapsules containing octyl methoxycinnamate by the emulsification–diffusion technique: Penetration across the stratum corneum. J Pharm Sci, 94: 1552- 1559.
48. Sarveiya V, Risk S, Benson HAE (2004). Liquid chromatographic assay for common sunscreen agents: application to *in vivo* assessment of skin penetration and systemic absorption in human volunteers. J Chromatogr B, 803: 225-231.
49. Brian KR, Green DM, Lalko J, Api AM (2007). *In vitro* human skin penetration of the fragrance material geranyl nitrile. Toxicology *in vitro,* 21: 133-138.
50. Alberti I, Kalia YN, Naik A, Bonny J D, Guy RH (2001). *In vivo* assessment of enhanced topical delivery of terbinafine to human stratum corneum. J Control Rel, 71(3): 319–327.
51. Kalia YN, Pirot F, Guy RH (1996). Homogeneous transport in a heterogeneous membrane: water diffusion across human stratum corneum *in vivo*. Biophys J, 71(5): 2692-2700.

Submitted By
Mr. Dattatraya A. Savant
Research Scholar
Reg. No.: 15412239

Under the able Guidance of
Dr. Ashish Gawai
Dr. VedPrakash Patil Pharmacy College,
Georai Tanda, Aurangabad (MS)